



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/5888533  
Dated/दिनांक : 05-02-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	26-02-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	26-02-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Iter India Ipr
Office Name/कार्यालय का नाम	literindia Ipr Blocka Sangath Skyz Bhatmote
क्रैता ईमेल/Buyer Email	buyer2.iii.gj@gembuyer.in
Total Quantity/कुल मात्रा	34
Item Category/मद केटेगरी	Dial type indicating Pressure Gauges (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days

**Bid Details/बिड विवरण**

<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM\\_No.1\\_4\\_2021\\_PPD\\_dated\\_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

**Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :**Price Bid - [1738227014.xlsx](#)

## Dial Type Indicating Pressure Gauges ( 34 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
TYPE	<b>Type of Gauge</b>	Pressure Gauge
	<b>Gauge Service Classification</b>	Industrial Gauge
	<b>Type of Pressure Element</b>	Bourdon Tube
	<b>Shape of Pressre Element</b>	C - Type
	<b>Method of Mounting</b>	Direct Mounting
	<b>Mounting Support</b>	Flange, Clamp, NA
	<b>Process connection</b>	Bottom
	<b>End Connection Type</b>	Male, Female
	<b>Thread Type</b>	NPT
SIZE / RANGE / ACCURACY	<b>Nominal Size of the Dial</b>	100.0 (millimeter)
	<b>Measuring Units</b>	kg/cm2
	<b>Measurement Range (kg/cm2)</b>	0 to 10
	<b>Measurement Range (Bar)</b>	NA
	<b>Measurement Range (millibar)</b>	0 to 16, 0 to 25, 0 to 250, 0 to 400, 0 to 600, 0 to 1000
	<b>Measurement Range (kPa)</b>	NA
	<b>Measurement Range (MPa)</b>	NA
	<b>Measurement Range (PSI)</b>	NA
	<b>Scale Interval of the Gauge / Resolution</b>	0.005, 0.01, 0.02, 0.05, 0.1, 0.2, 0.5, 1, 2, 5, 10, NA
	<b>Number of Minor Divisions in the scale</b>	20, 25, 30, 32, 40, 50, 60, 80, 100, 120, 125, 160, 200, 250, 300, 320, 400, 500
	<b>Accuracy Class</b>	1
<b>Enclosure Protection Class</b>	IP 67	
MATERIAL	<b>Material of Case &amp; Bezel</b>	Stainless Steel, Gr 304
	<b>Material for Pressure element</b>	Stainless Steel, Gr 316, Phosphor Bronze, Brass, Copper Alloy, Inconel, Hastelloy, PTFE, Tantalum
	<b>Material for Movement component</b>	Stainless Steel, Gr 304
	<b>Material for End Connector / Shank</b>	Stainless Steel, Gr 304, Stainless Steel, Gr 316, Brass, Bronze
	<b>Material for Dial Plate</b>	Aluminium, Plastic

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Material for Pointer</b>	Aluminium
GENERIC	<b>Blow-out device</b>	Yes, No
	<b>Dampening liquid</b>	Dry
TEMPERATURE	<b>Minimum Ambient Temperature</b>	0, -5, -10, -15, -20, -30, -40 (degree Celsius)
	<b>Maximum Ambient Temperature</b>	50, 55, 60, 65, 70, 75, 80 (degree Celsius)
	<b>Maximum Medium Temperature</b>	60, 70, 80, 90, 100, 150, 200, 250, 300 (degree Celsius)
WARRANTY WARRANTY	<b>Warranty on Equipment</b>	1.0 (year)

**Additional Specification Parameters - Dial Type Indicating Pressure Gauges ( 34 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Scale Length	270- degree arc
Glass Window	Borosilicate shatter proof glass
Gasket material	EPDM
Syphon	SS
Ball Valve	SS

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mayurkumar Navinchandra Patel	380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA	34	126

## **Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

### **1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### **2. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

ITER-India Lab,  
Institute for Plasma Research  
Near Mother Dairy, Bhat Village,  
Gandhinagar-382428  
Gujarat, India

### **3. Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

### **4. Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

### **5. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### **6. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### **7. Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### **8. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Note:

1. Bidder needs to offer products for both 34 Nos. of Pressure Gauge and 28 Nos. of Temperature Gauge as per Technical Specifications & details mentioned in attached Annexure-A. Bidder shall submit duly filled, sealed and signed copy of attached Annexure-A, Annexure -I and Annexure-II as part of bid document. This will be considered as an acceptance of bidder on scope & other details.

2. Rate schedule i.e. price breakup to be submitted in the price bid only.
3. Installation & commissioning is in the scope of supplier. Refer section 2 scope of work of attached Annexure-A for further details.
4. Specifications and other details as per Annexure-A shall have precedence over GeM Category Specifications.
5. Bidder needs to be quoted for both the items as per technical specification mentioned in attached Annexure-A only.
6. Annexure-II : Self-declaration by Bidder of a country sharing/not sharing land border with India to be submitted on bidder's letter head duly stamped and signed.
7. The Bidder are suggested to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder. Site: ITER-India, Institute For Plasma Research, Block-A, Sangath Skyz IPL, Bhat-Koteshwar Road, Ahmedabad-382424, Gujarat, India. Bidder contact Mr. Rohit Agarwal (Contact no. 8141351793) before visiting the site. Refer Annexure-I to be filled during site visit & to be attached with bid document as mentioned in Annexure-A. (Visit is optional)

**Corrigendum:**

Specification	Specification Name	Bid Requirements In Place of	Read As
SIZE/RANGE/ACCURACY	Measurement Range (Kg/cm <sup>2</sup> )	0 to 10	0-7 kg/cm <sup>2</sup>
SIZE/RANGE/ACCURACY	Enclosure Protection Class	IP 67	IP65 or better

**9. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---